About Initial Setting

Information Sciences Information and Communications Technology School of Engineering Internet Engineering

1 Change Password

Command

% passwd

input your old password and new password.

2 Modify the setting file

Open .cshrc:

% xemacs ~/.cshrc

change .cshrc as below:

source /opt/local/enshu/SKEL/Cshrc

-/.cshrc (after change)

source /opt/local/ns2/SKEL/Cshrc

Save the changed file, logout and relogin.

3 Usage of Terminal

3.1 Finish

Close all the window and use command:

% logout

When lecture finish, please not only logout but also turn off power of terminal and monitor

3.2 Emacs / XEmacs

Since Emacs window cannot be opened in this network system, it is convenience to use XEmacs for text editor.

% xemacs

The below is some fundamental commands of Emacs/XEmacs.

Table 1: Fundamental commands of Emacs / XEmacs

Action	Command
Open a file	Ctrl-x Ctrl-f
Save a file	Ctrl-x Ctrl-s
Close (X)Emacs	Ctrl-x Ctrl-c
Cancel	Ctrl-g for 1, 2 time or ESC

4 About the material of this lecture

The material of this lecture is uploaded at web server of Kato-lab. The format is PDF and the URL is:

http://www.it.ecei.tohoku.ac.jp/lecture/

Use netscape or firefox to download PDF file. To open saved PDF file, use command:

% acroread $file_name.pdf$